

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

MSDS DATE: 03/20/09

---

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

PRODUCT NAME: Vanilla Scent Metered Aerosol Air Freshener  
PRODUCT CODES: 325V  
MANUFACTURED FOR: Impact Products, LLC  
ADDRESS: 2840 Centennial Road, Toledo, OH 43617  
EMERGENCY PHONE: 800-535-5053  
CHEMTREC PHONE:  
CHEMICAL NAME:  
CHEMICAL FAMILY:  
CHEMICAL FORMULA:

---

## SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

---

<u>INGREDIENT:</u>	<u>CAS NO.</u>	<u>TLV/TWA</u>	<u>PEL</u>
Acetone	67-64-1	750 PP	1000 PPM
Isoparaffinic Hydrocarbon	64742-47-8	400 PPM	400 PPM
Propane/Isobutane	74-98-6	N/A	1000 PPM

---

---

## SECTION 3: HAZARDS IDENTIFICATION

---

ROUTES OF ENTRY:  
SIGNS/SYMPTOMS OF OVEREXPOSURE:  
EYES: Strong irritation reddening  
SKIN: Yes, mild irritation  
INGESTION: No  
INHALATION: Excessive exposure may cause slight dizziness  
ACUTE/CHRONIC HEALTH HAZARDS:  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None Known

---

### CARCINOGENICITY

OSHA: No  
ACGIH: No  
NTP: No  
IARC: Monographs: No  
CSCA STATUS:

---

---

## SECTION 4: FIRST AID MEASURES

---

EYES: Flush with water for 15 minutes  
SKIN: Wash with soap and water. Contact physician if irritation persists.  
INGESTION:  
INHALATION: Remove to fresh air

---

---

## SECTION 5: FIRE-FIGHTING MEASURES

---

FLAMMABLE LIMITS: LEL: N/A UEL: N/A  
FLASH POINT:  
METHOD USED: <100F TCC  
HAZARD CLASSIFICATION: HEALTH: FLAMMABILITY: REACTIVITY:  
EXTINGUISHING MEDIA: Standard dry chemical fire extinguisher  
SPECIAL FIRE FIGHTING PROCEDURES: Wear self contained breathing apparatus whenever indicated  
UNUSUAL FIRE AND EXPLOSION HAZARDS: Flammable. Contents Under Pressure. Exposure to temperatures above 120°F may cause bursting.  
HAZARDOUS DECOMPOSITION PRODUCTS: None

---

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

ACCIDENTAL RELEASE MEASURES:

---

---

## SECTION 7: HANDLING AND STORAGE

---

HANDLING AND STORAGE: Do not use or store near heat or open flame. Exposure to temperatures above 120°F may cause bursting.  
OTHER PRECAUTIONS: None

---

