

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

MSDS DATE: 03/20/09

---

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

PRODUCT NAME: 660B 60-Day Air Freshener Cartridge - Ocean Breeze  
SYNONYMS:  
PRODUCT CODES:

MANUFACTURED FOR: Impact Products, LLC  
ADDRESS: 2840 Centennial Road, Toledo, OH 43617

EMERGENCY PHONE: 800-228-5635 Ext. 167  
CHEMTREC PHONE: 800-424-9300  
DOT EMERGENCY (INT'L): 703-527-3887  
OTHER INFORMATION: 800-796-5573

CHEMICAL NAME:  
CHEMICAL FAMILY:  
CHEMICAL FORMULA:

---

## SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

---

<u>INGREDIENT:</u>	<u>CAS NO.</u>	<u>% WT</u>	<u>TLV/PEL</u>
--------------------	----------------	-------------	----------------

Notes: The following information only applies when a number appears in the right hand note column.

1. PEL/TLV not established for this material.
2. This chemical is listed as a toxic chemical subject to the SARA 313 (Superfund amendments & Reauthorization Act of (1986) toxic chemical release reporting requirement.
3. This chemical is considered a carcinogen by the OSHA , NTP, or the IARC

Any hazardous component is subject to the reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

---

## SECTION 3: HAZARDS IDENTIFICATION

---

ROUTES OF ENTRY:      Eyes - Yes              Skin - Yes              Inhalation - Yes              Ingestion - Yes

### POTENTIAL HEALTH EFFECTS

EYES:              May cause eye irritation by direct contact or by fumes  
SKIN:              Prolonged contact may lead to irritation or dermatitis  
INGESTION:      May cause respiratory tract irritation  
INHALATION:    Harmful if swallowed  
ACUTE/CHRONIC HEALTH HAZARDS:  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

---

### CARCINOGENICITY

OSHA: No              NTP: No              IARC: No              OTHER:

---

## SECTION 4: FIRST AID MEASURES

---

EYES:      Flush eyes with water for at least 15 minutes. If irritation persists, contact a physician  
SKIN:      Wash skin with soap and plenty of water. Remove contaminated clothing and wash before wearing again  
INGESTION: If swallowed, drink milk or water and contact a doctor immediately  
INHALATION: Remove victim to fresh air

---

## SECTION 5: FIRE-FIGHTING MEASURES

---

FLAMMABLE LIMITS:      LEL - n/a              UEL - n/a

FLASH POINT:      175 degrees F

METHOD USED:      TCC

HMIS HAZARD CLASSIFICATION:      HEALTH - 1              FLAMMABILITY - 2              REACTIVITY - 0

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, universal-type foam

SPECIAL FIRE FIGHTING PROCEDURES: Standard fire-fighting procedures may be followed, including full protective gear, NIOSH approved self-contained breathing apparatus if needed

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may build up pressure at elevated temperatures. If possible, containers should be cooled with a water spray



# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

MSDS DATE: 03/20/09

**PROCEDURE FOR SPILL OR LEAK CLEANUP:** Avoid sources of ignition. Contain spilled material. Avoid inhalation of vapors. Cover with a non-combustible material and remove to an approved disposal container. Dry products should be swept up and removed to an approved disposal container. Wash area with soap water.

---

## SECTION 14: TRANSPORT INFORMATION

---

Follow state and federal regulations.

---

## SECTION 15: REGULATORY INFORMATION

---

Follow state and federal regulations.

---

## SECTION 16: OTHER INFORMATION

---

### OTHER INFORMATION:

**DISCLAIMER:** The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied is made and Impact Products LLC assumes no legal responsibility or liability resulting from its use.